Brain Research, 423 (1987) 408–410
Elsevier

Author Index

Abe, K. and Kogure, K., Recovery from calcium-induced damage in a neuroblastoma cell line, 221
Amenta, F., see Napoleone, P., 109
Aoki, C., see Pavlides, C., 396

Bailey, W.H., see Pavlides, C., 396
Banin, E. and Meiri, H., Impaired control of information transfer at an isolated synapse treated by aluminum: is it related to dementia?, 359
Baranyi, A. and Szenta, M.B., Long-lasting potentiation of synaptic transmission requires postsynaptic modifications in the neocortex, 378
Baranyi, A., see Soja, P.J., 353
Baughman, R.W., see Strassman, A., 293
Ben-Ari, Y., see Represa, A., 325
Berdichevsky, E., Muñoz, C., Riveros, N., Cartier, L. and Orrego, F., Neuropathological changes in the rat brain cortex in vitro: effects of kainic acid and of ion substitutions, 213
Bickford-Wimer, P.C., see Granholm, A.-C., 71
Block, G.D., see Roberts, M.H., 286
Bowman, C.L. and Kimelberg, H.K., Pharmacological properties of the norepinephrine-induced depolarization of astrocytes in primary culture: evidence for the involvement of an α_1-adrenergic receptor, 403
Brismar, T., Hildebrand, C. and Tegnér, R., Nodes of Ranvier in acrylamide neuropathy: voltage clamp and electron microscopic analysis of rat sciatic fibres at proximal levels, 135
Burmeister, D.W. and Dunn-Meynell, A.A., Recovery of regenerating goldfish retinal ganglion cells is slowed in the absence of the topographically correct synaptic target, 56
Bylsma, F.W., see Pivik, R.T., 196

Carenzi, A., see Reggiani, A., 254
Cartier, L., see Berdichevsky, E., 213
Cascio, C.S., Shinsako, J. and Dallman, M.F., The suprachiasmatic nuclei stimulate evening ACTH secretion in the rat, 173
Chase, M.H., see Soja, P.J., 353
Chen, J.-S., see Pavlides, C., 396
Chen, L.S., see King, P.H., 261
Cooper, P.M., see Pivik, R.T., 196
Corson, D.W. and Fein, A., Inositol 1,4,5-trisphosphate induces bursts of calcium release inside *Limulus* ventral photoreceptors, 343
Cudennec, A., Duverger, D., Lloyd, K.G., MacKenzie, E.T., McCulloch, J., Motohashi, N., Nishikawa, T. and Scatton, B., Effects of the GABA receptor agonist, progabide, upon local cerebral glucose utilization, 162

Dallman, M.F., see Cascio, C.S., 173
Darlington, D.N., see Ward, D.G., 373
Davies, M.F., Deisz, R.A., Prince, D.A. and Peroutka, S.J., Two distinct effects of 5-hydroxytryptamine on single cortical neurons, 347
De Toledo-Morrell, L., see Geinisman, Y., 179
Deisz, R.A., see Davies, M.F., 347
Delbende, C., Jégou, S., Tranchand-Bunel, D., Pelletier, G. and Vaudry, H., Hypothalamic α-melanocyte stimulating hormone (α-MSH) is not under dopaminergic control, 203
Della Bella, D., see Reggiani, A., 254
Depaulis, A., see Morgan, M.M., 395
Di Loreto, S., see Scarnati, E., 116
Diana, G., see Orzi, F., 144
Dunn-Meynell, A.A., see Burmeister, D.W., 56
Duverger, D., see Cudennec, A., 162
Désy, S., see Pelletier, G., 247

Eberle, A.N., see Pelletier, G., 247
Eckenstein, F., see Strassman, A., 293
Elidan, J., Langhofer, L. and Honrubia, V., The neural generators of the vestibular evoked response, 385
Endo, Y., see Kitamura, T., 189
Erdö, S., see Napoleone, P., 109
Eriksdotter-Nilsson, M., see Granholm, A.-C., 71

Faull, R.L.M., see McGeorge, A.J., 318
Fein, A., see Corson, D.W., 343
Fieschi, C., see Orzi, F., 144
Fujita, S., see Kitamura, T., 189

Geinisman, Y., Morrell, F. and De Toledo-Morrell, L., Axospinous synapses with segmented postsynaptic densities: a morphologically distinct synaptic subtype contributing to the number of profiles of 'perforated' synapses visualized in random sections, 179
Gerfen, C.R., see Lad, R.P., 237
Gerhardt, G.A., see Granholm, A.-C., 71
Gierschik, P., see Lad, R.P., 237
Goetzl, E.J., see Taiwo, Y.O., 333
Goldsmith, P., see Lad, R.P., 237
Gonzalez, A. and Munoz, M., Some connections of the area octavolateralis of *Pleurodeles waltlii*. A study with horseradish peroxidase under in vitro conditions, 338
Granholm, A.-C., Gerhardt, G.A., Eriksdotter-Nilsson, M., Bickford-Wimer, P.C., Palmer, M.R., Seiger, Å., Olson, L. and Hoffer, B.J., Age-related changes in cerebellar noradrenergic pre- and postsynaptic mechanisms: intrinsic vs extrinsic determinants evaluated with brain grafts in oculo, 71
Gratton, A., see Jenck, F., 34
Griffo, M., see Lad, R.P., 237
Griph, S., see Svensson, B.A., 229
Guy, J., see Pelletier, G., 247

Hartman, P.J., see Wilson, J.S., 229
Hayward, J.N., see Meeker, M.L., 45
Hildebrand, C., see Brismar, T., 135
Hoffer, B.J., see Granholm, A.-C., 71
Hoheisel, U. and Mense, S., Observations on the morphology of axons and somata of slowly conducting dorsal root ganglion cells in the cat, 269
Honrubia, V., see Elidan, J., 385

Irie, K. and Wurtman, R.J., Release of norepinephrine from

Brain Research, 423 (1987) 408–410
Elsevier

Author Index

Abe, K. and Kogure, K., Recovery from calcium-induced damage in a neuroblastoma cell line, 221
Amenta, F., see Napoleone, P., 109
Aoki, C., see Pavlides, C., 396

Bailey, W.H., see Pavlides, C., 396
Banin, E. and Meiri, H., Impaired control of information transfer at an isolated synapse treated by aluminum: is it related to dementia?, 359
Baranyi, A. and Szenta, M.B., Long-lasting potentiation of synaptic transmission requires postsynaptic modifications in the neocortex, 378
Baranyi, A., see Soja, P.J., 353
Baughman, R.W., see Strassman, A., 293
Ben-Ari, Y., see Represa, A., 325
Berdichevsky, E., Muñoz, C., Riveros, N., Cartier, L. and Orrego, F., Neuropathological changes in the rat brain cortex in vitro: effects of kainic acid and of ion substitutions, 213
Bickford-Wimer, P.C., see Granholm, A.-C., 71
Block, G.D., see Roberts, M.H., 286
Bowman, C.L. and Kimelberg, H.K., Pharmacological properties of the norepinephrine-induced depolarization of astrocytes in primary culture: evidence for the involvement of an α_1-adrenergic receptor, 403
Brismar, T., Hildebrand, C. and Tegnér, R., Nodes of Ranvier in acrylamide neuropathy: voltage clamp and electron microscopic analysis of rat sciatic fibres at proximal levels, 135
Burmeister, D.W. and Dunn-Meynell, A.A., Recovery of regenerating goldfish retinal ganglion cells is slowed in the absence of the topographically correct synaptic target, 56
Bylsma, F.W., see Pivik, R.T., 196

Carenzi, A., see Reggiani, A., 254
Cartier, L., see Berdichevsky, E., 213
Cascio, C.S., Shinsako, J. and Dallman, M.F., The suprachiasmatic nuclei stimulate evening ACTH secretion in the rat, 173
Chase, M.H., see Soja, P.J., 353
Chen, J.-S., see Pavlides, C., 396
Chen, L.S., see King, P.H., 261
Cooper, P.M., see Pivik, R.T., 196
Corson, D.W. and Fein, A., Inositol 1,4,5-trisphosphate induces bursts of calcium release inside *Limulus* ventral photoreceptors, 343
Cudennec, A., Duverger, D., Lloyd, K.G., MacKenzie, E.T., McCulloch, J., Motohashi, N., Nishikawa, T. and Scatton, B., Effects of the GABA receptor agonist, progabide, upon local cerebral glucose utilization, 162

Dallman, M.F., see Cascio, C.S., 173
Darlington, D.N., see Ward, D.G., 373
Davies, M.F., Deisz, R.A., Prince, D.A. and Peroutka, S.J., Two distinct effects of 5-hydroxytryptamine on single cortical neurons, 347
De Toledo-Morrell, L., see Geinisman, Y., 179
Deisz, R.A., see Davies, M.F., 347
Delbende, C., Jégou, S., Tranchand-Bunel, D., Pelletier, G. and Vaudry, H., Hypothalamic α-melanocyte stimulating hormone (α-MSH) is not under dopaminergic control, 203
Della Bella, D., see Reggiani, A., 254
Depaulis, A., see Morgan, M.M., 395
Di Loreto, S., see Scarnati, E., 116
Diana, G., see Orzi, F., 144
Dunn-Meynell, A.A., see Burmeister, D.W., 56
Duverger, D., see Cudennec, A., 162
Désy, S., see Pelletier, G., 247

Eberle, A.N., see Pelletier, G., 247
Eckenstein, F., see Strassman, A., 293
Elidan, J., Langhofer, L. and Honrubia, V., The neural generators of the vestibular evoked response, 385
Endo, Y., see Kitamura, T., 189
Erdö, S., see Napoleone, P., 109
Eriksdotter-Nilsson, M., see Granholm, A.-C., 71

Faull, R.L.M., see McGeorge, A.J., 318
Fein, A., see Corson, D.W., 343
Fieschi, C., see Orzi, F., 144
Fujita, S., see Kitamura, T., 189

Geinisman, Y., Morrell, F. and De Toledo-Morrell, L., Axospinous synapses with segmented postsynaptic densities: a morphologically distinct synaptic subtype contributing to the number of profiles of 'perforated' synapses visualized in random sections, 179
Gerfen, C.R., see Lad, R.P., 237
Gerhardt, G.A., see Granholm, A.-C., 71
Gierschik, P., see Lad, R.P., 237
Goetzl, E.J., see Taiwo, Y.O., 333
Goldsmith, P., see Lad, R.P., 237
Gonzalez, A. and Munoz, M., Some connections of the area octavolateralis of *Pleurodeles waltlii*. A study with horseradish peroxidase under in vitro conditions, 338
Granholm, A.-C., Gerhardt, G.A., Eriksdotter-Nilsson, M., Bickford-Wimer, P.C., Palmer, M.R., Seiger, Å., Olson, L. and Hoffer, B.J., Age-related changes in cerebellar noradrenergic pre- and postsynaptic mechanisms: intrinsic vs extrinsic determinants evaluated with brain grafts in oculo, 71
Gratton, A., see Jenck, F., 34
Griffo, M., see Lad, R.P., 237
Griph, S., see Svensson, B.A., 229
Guy, J., see Pelletier, G., 247

Hartman, P.J., see Wilson, J.S., 229
Hayward, J.N., see Meeker, M.L., 45
Hildebrand, C., see Brismar, T., 135
Hoffer, B.J., see Granholm, A.-C., 71
Hoheisel, U. and Mense, S., Observations on the morphology of axons and somata of slowly conducting dorsal root ganglion cells in the cat, 269
Honrubia, V., see Elidan, J., 385

Irie, K. and Wurtman, R.J., Release of norepinephrine from

rat hypothalamic slices: effects of desipramine and tyrosine, 391
Jenck, F., Gratton, A. and Wise, R.A., Opioid receptor subtypes associated with ventral tegmental facilitation of lateral hypothalamic brain stimulation reward, 34
Jenck, F., Quirion, R. and Wise, R.A., Opioid receptor subtypes associated with ventral tegmental facilitation and periaqueductal gray inhibition of feeding, 39
Johnson, A.K., see Wilkin, L.D., 369
Juhász, M., Kobor, G., Lajtha, A. and Vadász, C., Autoradiographic distribution of binding sites of [^{3}H]SKF 38393, a selective dopamine D_1 receptor agonist, in the mouse forebrain, 305
Jégou, S., see Delbende, C., 203

Kelly, R.S. and Wightman, R.M., Detection of dopamine overflow and diffusion with voltammetry in slices of rat brain, 79
Kimelberg, H.K., see Bowman, C.L., 403
King, P.H., Shin, C., Mansbach, H.H., Chen, L.S. and McNamara, J.O., Microinjection of a benzodiazepine into substantia nigra elevates kindled seizure threshold, 261
Kitamura, T., Nakanishi, K., Watanabe, S., Endo, Y. and Fujita, S., GFA-protein gene expression on the astroglia in cow and rat brains, 189
Kobor, G., see Juhász, M., 305
Kogure, K., see Abe, K., 221
Krayanek, S.R., see Perry, G.W., 1

Lad, R.P., Simons, C., Gierschik, P., Milligan, G., Woodard, C., Griffo, M., Goldsmith, P., Ornberg, R., Gerfen, C.R. and Spiegel, A., Differential distribution on signal-transducing G-proteins in retina, 237
Lajtha, A., see Juhász, M., 305
Langhofer, L., see Elidan, J., 385
Levine, J.D., see Taiwo, Y.O., 333
Leysen, J.E., see Stoof, J.C., 364
Li, S., see Pelletier, G., 247
Liebeskind, J.C., see Morgan, M.M., 395
Lightman, S.L., see Seckl, J.R., 279
Lloyd, K.G., see Cudennec, A., 162
Lusska, A.E., see Roberts, M.H., 286

MacKenzie, E.T., see Cudennec, A., 162
Maciewicz, R., see Strassman, A., 293
Mansbach, H.H., see King, P.H., 261
Mason, P., see Strassman, A., 293
McCulloch, J., see Cudennec, A., 162
McGeorge, A.J. and Faull, R.L.M., The organization and collateralization of corticostriate neurones in the motor and sensory cortex of the rat brain, 318
McNamara, J.O., see King, P.H., 261
Meeker, M.L., Meeker, R.B. and Hayward, J.N., Accumulation of circulating endogenous and exogenous immunoglobulins by hypothalamic magnocellular neurons, 45
Meeker, R.B., see Meeker, M.L., 45
Meiri, H., see Banin, E., 359
Mense, S., see Hoheisel, U., 269
Milligan, G., see Lad, R.P., 237
Moises, H.C., Electrophysiological correlates of presynaptic opiate receptor activation: reduction in norepinephrine-mediated inhibition from the locus coeruleus, 149
Morales, F.R., see Soja, P.J., 353
Morgan, M.M., Depaulis, A. and Liebeskind, J.C., Diazepam dissociates the analgesic and aversive effects of periaqueductal gray stimulation in the rat, 395
Morrell, F., see Geinisman, Y., 179
Morrow, G.D., see Wilson, J.S., 329
Motohashi, N., see Cudennec, A., 162
Munoz, C., see Berdichevsky, E., 213
Muñoz, M., see Gonzalez, A., 338

Nakanishi, K., see Kitamura, T., 189
Napoleone, P., Erdö, S. and Amenta, F., Autoradiographic localization of the GABA receptor agonist [^{3}H]muscimol in rat cerebral vessels, 109
Nishikawa, T., see Cudennec, A., 162

Okamoto, K., see Sekiguchi, M., 23
Olson, L., see Granholm, A.-C., 71
Orchard, I., see Pannabecker, T., 13
Ornberg, R., see Lad, R.P., 237
Orrego, F., see Berdichevsky, E., 213
Orzi, F., Passarelli, F., Diana, G. and Fieschi, C., Effects of single and repeated electroconvulsive shock on local cerebral glucose utilization in the conscious rat, 144

Pacitti, C., see Scarnati, E., 116
Palmer, M.R., see Granholm, A.-C., 71
Pannabecker, T. and Orchard, I., Regulation of adipokinetic hormone release from locust neuroendocrine tissue: participation of calcium and cyclic AMP, 13
Passarelli, F., see Orzi, F., 144
Patel, K.P., see Wilkin, L.D., 369
Pavlides, C., Aoki, C., Chen, J.-S., Bailey, W.H. and Winson, J., Differential glucose utilization in the parafascicular region during slow-wave sleep, the still-alert state and locomotion, 396
Pelletier, G., Guy, J., Désy, S., Li, S., Eberle, A.N. and Vaudry, H., Melanin-concentrating hormone (MCH) is colocalized with α-melanocyte-stimulating hormone (α-MSH) in the rat but not in the human hypothalamus, 247
Pelletier, G., see Delbende, C., 203
Peroutka, S.J., see Davies, M.F., 347
Perry, G.W., Krayanek, S.R. and Wilson, D.L., Effects of a conditioning lesion on bullfrog sciatic nerve regeneration: analysis of fast axonally transported proteins, 1
Pivik, R.T., Bylsma, F.W. and Cooper, P.M., Variations in nuchal muscle tonus following paradoxical sleep deprivation in the rabbit, 196
Prince, D.A., see Davies, M.F., 347
Proia, A., see Scarnati, E., 116

Quirion, R., see Jenck, F., 39

Rastad, J., see Svensson, B.A., 229
Reggiani, A., Carenzi, A. and Della Bella, D., Influence of opioids on β-receptors down-regulation: studies in cultured C_6 glioma cells, 254
Represa, A., Tremblay, E. and Ben-Ari, Y., Aberrant growth of mossy fibers and enhanced kainic acid binding sites induced in rats by early hyperthyroidism, 325
Riveros, N., see Berdichevsky, E., 213
Roberts, M.H., Block, G.D. and Lusska, A.E., Comparative studies of circadian pacemaker coupling in Opisthobranch molluscs, 286

Sabbahi, M.A. and Sedgwick, E.M., Recovery profile of single

motoneurons after electrical stimuli in man, 125
Sakai, Y., see Sekiguchi, M., 23
Scarnati, E., Proia, A., Di Loreto, S. and Pacitti, C., The reciprocal electrophysiological influence between the nucleus tegmenti pedunculopontinus and the substantia nigra in normal and decorticated rats, 116
Scatton, B., see Cudennec, A., 162
Schmid, P.G., see Wilkin, L.D., 369
Schweitzer, J.B., Nerve growth factor receptor-mediated transport from cerebrospinal fluid to basal forebrain neurons, 309
Seckl, J.R. and Lightman, S.L., Intracerebroventricular arginine vasopressin causes intracranial pressure to rise in conscious goats, 279
Sedgwick, E.M., see Sabbahi, M.A., 125
Seiger, Å., see Granholm, A.-C., 71
Sekiguchi, M., Okamoto, K. and Sakai, Y., Excitatory action on *N*-acetylaspartylglutamate on Purkinje cells in guinea pig cerebellar slices: an intrasomatic study, 23
Shin, C., see King, P.H., 261
Shinsako, J., see Cascio, C.S., 173
Simons, C., see Lad, R.P., 237
Soja, P.J., Morales, F.R., Baranyi, A. and Chase, M.H., Effect of inhibitory amino acid antagonists on IPSPs induced in lumbar motoneurons upon stimulation of the nucleus reticularis gigantocellularis during active sleep, 353
Spiegel, A., see Lad, R.P., 237
Stewart, D.J. and Vanderwolf, C.H., Hippocampal rhythmical slow activity following ibotenic acid lesions of the septal region. I. Relations to behavior and effects of atropine and urethane, 88
Stewart, D.J. and Vanderwolf, C.H., Hippocampal rhythmical slow activity following ibotenic lesions of the septal region. II. Changes in hippocampal activity during sleep, 101
Stoof, J., Verheijden, P.F.H.M. and Leysen, J.E., Stimulation of D_2-receptors in rat nucleus accumbens slices inhibits dopamine and acetylcholine release but not cyclic AMP formation, 364
Strassman, A., Mason, P., Eckenstein, F., Baughman, R.W. and Maciewicz, R., Choline acetyltransferase immunocytochemistry of Edinger–Westphal and ciliary ganglion afferent neurons in the cat, 293
Su, Y.Y.T. and Watt, C.B., Interaction between enkephalin and dopamine in the avian retina, 63
Svensson, B.A., Griph, S., Rastad, J. and Westman, J., Quantitative ultrastructural study of boutons of ascending afferents to the feline lateral cervical nucleus, 229
Szenta, M.B., see Baranyi, A., 378

Taiwo, Y.O., Goetzl, E.J. and Levine, J.D., Hyperalgesia onset latency suggests a hierarchy of action, 333
Tegnér, R., see Brismar, T., 135
Tranchand-Bunel, D., see Delbende, C., 203
Tremblay, E., see Represa, A., 325
Turner, B.H., see Wilson, J.S., 329

Vadász, C., see Juhász, M., 305
Vanderwolf, C.H., see Stewart, D.J., 88
Vanderwolf, C.H., see Stewart, D.J., 101
Vaudry, H., see Delbende, C., 203
Vaudry, H., see Pelletier, G., 247
Verheijden, P.F.H.M., see Stoof, J.C., 364

Ward, D.G. and Darlington, D.N., A blood pressure lowering effect of lesions of the caudal periaqueductal gray: relationship to basal pressure, 373
Watanabe, S., see Kitamura, T., 189
Watt, C.B., see Su, Y.Y.T., 63
Westman, J., see Svensson, B.A., 229
Wightman, R.M., see Kelly, R.S., 79
Wilkin, L.D., Patel, K.P., Schmid, P.G. and Johnson, A.K., Increased norepinephrine turnover in the median preoptic nucleus following reduced extracellular fluid volume, 369
Wilson, D.L., see Perry, G.W., 1
Wilson, J.S., Turner, B.H., Morrow, G.D. and Hartman, P.J., MPTP produces a mosaic-like pattern of terminal degeneration in the caudate nucleus of dog, 329
Winson, J., see Pavlides, C., 396
Wise, R.A., see Jenck, F., 34
Wise, R.A., see Jenck, F., 39
Woodard, C., see Lad, R.P., 237
Wurtman, R.J., see Irie, K., 391